


Violin



THOMASTIK RONDO


標準 SET 参考税別価格 ¥ 20,000

TECHNICAL DETAILS

4/4

Violin vibrating string length 32.5 cm | 12.8"

					MEDIUM		
NR				TAILPIECE END			PEG END
RO01	e ² mi ² I	Carbon steel	Tin plated		8.2	18.1	
RO02	a ¹ la ¹ II	Synthetic core	Aluminum wound		5.7	12.6	
RO02A	a ¹ la ¹ II	Carbon steel	Chrome wound		6.0	13.2	
RO03A	d ¹ re ¹ III	Synthetic core	Silver wound		4.8	10.6	
RO04	g sol IV	Synthetic core	Silver wound		4.8	10.6	



THOMASTIK INFELD


標準 SET 参考税別価格 ¥ 15,000

TECHNICAL DETAILS

4/4

Violin vibrating string length 32.5 cm | 12.8"

					MEDIUM		
NR				TAILPIECE END			PEG END
TI01	e ² mi ² I	Carbon steel	Tin plated		8.0	17.6	
TI02	a ¹ la ¹ II	Synthetic core	Aluminum wound		5.5	12.1	
TI03	d ¹ re ¹ III	Synthetic core	Aluminum wound		4.5	9.9	
TI03A	d ¹ re ¹ III	Synthetic core	Silver wound		4.8	10.6	
TI04	g sol IV	Synthetic core	Silver wound		4.7	10.4	



DOMINANT

標準 SET 参考税別価格 ¥ 8,300

TECHNICAL DETAILS

4/4

3/4

1/2


1/4

1/8

1/16

Violin vibrating string length 32.5 cm | 12.8"

					LIGHT			MEDIUM			HEAVY				
NR				TAILPIECE END			PEG END			PEG END			PEG END		
129	e ² mi ² I	Stainless steel			7.5	16.5		7.8	17.2		9.1	20.1			
129SN	e ² mi ² I	Carbon steel	Tin plated					8.3	18.3						
130	e ² mi ² I	Carbon steel	Aluminum wound		6.6	14.6		7.2	15.9		7.5	16.5			
130MS	e ² mi ² I	Carbon steel	Aluminum wound		6.6	14.6		7.2	15.9		7.5	16.5			
131	a ¹ la ¹ II	Synthetic core	Aluminum wound		4.6	10.1		5.5	12.1		5.9	13.0			
132	d ¹ re ¹ III	Synthetic core	Aluminum wound		3.9	8.6		4.1	9.0		5.4	11.9			
132A	d ¹ re ¹ III	Synthetic core	Silver wound		4.0	8.8		4.5	9.9		5.5	12.1			
133	g sol IV	Synthetic core	Silver wound		3.7	8.2		4.4	9.7		4.9	10.8			
SET NR. 135				SET NR. 135A				SET NR. 135B				SET NR. 135BA			
130; 131; 132; 133				130; 131; 132A; 133				129; 131; 132; 133				129; 131; 132A; 133			
LIGHT		18.8	41.5	LIGHT		18.9	41.7	LIGHT		19.7	43.4	LIGHT		19.8	43.6
MEDIUM		21.2	46.7	MEDIUM		21.6	47.6	MEDIUM		21.8	48.0	MEDIUM		22.2	48.9
HEAVY		23.7	52.2	HEAVY		23.8	52.4	HEAVY		25.3	55.8	HEAVY		25.4	56.0



INFELD RED


標準 SET 参考税別価格 ¥ 9,900

TECHNICAL DETAILS

4/4

Violin vibrating string length 32.5 cm | 12.8"

					MEDIUM		
NR				TAILPIECE END			PEG END
IR01	e ² mi ² I	Stainless steel	Gold plated		8.0	17.6	
IR02	a ¹ la ¹ II	Composite core	Hydronalium wound		5.5	12.1	
IR03	d ¹ re ¹ III	Composite core	Hydronalium wound		4.6	10.1	
IR04	g sol IV	Composite core	Silver wound		4.7	10.4	



INFELD BLUE


標準 SET 参考税別価格 ¥ 8,500

TECHNICAL DETAILS

4/4

Violin vibrating string length 32.5 cm | 12.8"

					MEDIUM		
NR				TAILPIECE END			PEG END
IB01	e ² mi ² I	Carbon steel	Tin plated		8.0	17.6	
IB02	a ¹ la ¹ II	Composite core	Hydronalium wound		5.5	12.1	
IB03	d ¹ re ¹ III	Composite core	Hydronalium wound		4.6	10.1	
IB04	g sol IV	Composite core	Silver wound		4.6	10.1	



PETER INFELD


標準 SET 参考税別価格 ¥ 15,000

TECHNICAL DETAILS

4/4

Violin vibrating string length 32.5 cm | 12.8"

					MEDIUM		
NR				TAILPIECE END			PEG END
PI01AU	e ² mi ² I	Stainless steel	Gold plated	  	8.3	18.3	
PI01PT	e ² mi ² I	Stainless steel	Platinum plated	  	8.3	18.3	
PI01SN	e ² mi ² I	Carbon steel	Tin plated	  	8.3	18.3	
PI02	a ¹ la ¹ II	Synthetic core	Aluminum wound	  	5.6	12.3	
PI03	d ¹ re ¹ III	Synthetic core	Aluminum wound	  	4.6	10.1	
PI03A	d ¹ re ¹ III	Synthetic core	Silver wound	  	4.8	10.6	
PI04	g sol IV	Synthetic core	Silver wound	  	4.7	10.4	



ALPHAYUE

標準 SET 参考税別価格 ¥ 4,200

TECHNICAL DETAILS

4/4

3/4

1/2

1/4

1/8

1/16

Violin vibrating string length 32.5 cm | 12.8"

					MEDIUM		
NR				TAILPIECE END			PEG END
AL01	e ² mi ² I	Carbon steel	Tin plated	  	7.9	17.4	
AL02	a ¹ la ¹ II	Synthetic core	Aluminum wound	  	5.5	12.1	
AL03	d ¹ re ¹ III	Synthetic core	Aluminum wound	  	4.5	9.9	
AL03A	d ¹ re ¹ III	Synthetic core	Silver wound	  	4.6	10.1	
AL04	g sol IV	Synthetic core	Silver wound	  	4.5	9.9	



VISION

標準 SET 参考税別価格 ¥ 6,200

TECHNICAL DETAILS

4/4	7/8	3/4	1/2	1/4	1/8	1/10	1/16
-----	-----	-----	-----	-----	-----	------	------

Violin vibrating string length 32.5 cm | 12.8"

					MEDIUM			HEAVY		
NR				TAILPIECE END			PEG END			PEG END
VI01	e ² mi ² I	Carbon steel	Tin plated		8.0	17.6		8.3	18.3	
VI02	a ¹ la ¹ II	Synthetic core	Aluminum wound		5.5	12.1		5.6	12.3	
VI02B	a ¹ la ¹ II	Carbon steel	Chrome wound		6.0	13.2		6.3	13.9	
VI03	d ¹ re ¹ III	Synthetic core	Aluminum wound		4.5	9.9		4.8	10.6	
VI03A	d ¹ re ¹ III	Synthetic core	Silver wound		4.5	9.9		4.8	10.6	
VI04	g sol IV	Synthetic core	Silver wound		4.7	10.4		4.8	10.6	
VI05	c do V	Synthetic core	Silver wound		4.6	10.1				
VI06	F Fa VI	Synthetic core	Silver wound		4.6	10.1				

Violin vibrating string length 31.4 cm | 12.4"

					MEDIUM		
NR				TAILPIECE END			PEG END
VI01 7/8	e ² mi ² I	Carbon steel	Tin plated		7.5	16.5	
VI02 7/8	a ¹ la ¹ II	Synthetic core	Aluminum wound		5.4	11.9	
VI03 7/8	d ¹ re ¹ III	Synthetic core	Silver wound		4.4	9.7	
VI04 7/8	g sol IV	Synthetic core	Silver wound		4.5	9.9	

Violin vibrating string length 30.5 cm | 12.0"

					MEDIUM			HEAVY		
NR				TAILPIECE END			PEG END			PEG END
VI01 3/4	e ² mi ² I	Carbon steel	Tin plated		7.0	15.4		7.3	16.1	
VI02 3/4	a ¹ la ¹ II	Synthetic core	Aluminum wound		5.1	11.2		5.5	12.1	
VI03 3/4	d ¹ re ¹ III	Synthetic core	Silver wound		4.1	9.0		4.7	10.4	
VI04 3/4	g sol IV	Synthetic core	Silver wound		4.2	9.3		4.6	10.1	

Violin

vibrating string length 28.3 cm | 11.1"

					MEDIUM		
NR				TAILPIECE END			PEG END
VI01 1/2	e ² mi ² I	Carbon steel	Tin plated	  	6.0	13.2	
VI02 1/2	a ¹ la ¹ II	Synthetic core	Aluminum wound	  	4.5	9.9	
VI03 1/2	d ¹ re ¹ III	Synthetic core	Silver wound	  	4.0	8.8	
VI04 1/2	g sol IV	Synthetic core	Silver wound	  	3.9	8.6	

Violin

vibrating string length 26.0 cm | 10.2"

					MEDIUM			HEAVY		
NR				TAILPIECE END			PEG END			PEG END
VI01 1/4	e ² mi ² I	Carbon steel	Aluminum wound	  	5.7	12.6				
VI01 1/4 st	e ² mi ² I	Stainless steel		  	0.0	0.0		5.8	12.8	
VI02 1/4	a ¹ la ¹ II	synthetic core	Aluminum wound	  	4.3	9.5		4.6	10.1	
VI03 1/4	d ¹ re ¹ III	synthetic core	Silver wound	  	3.7	8.2		4.1	9.0	
VI04 1/4	g sol IV	synthetic core	Silver wound	  	3.8	8.4		4.2	9.3	

Violin

vibrating string length 24.0 cm | 9.4"

					MEDIUM		
NR				TAILPIECE END			PEG END
VI01 1/8	e ² mi ² I	Carbon steel	Aluminum wound	  	5.3	11.7	
VI02 1/8	a ¹ la ¹ II	Synthetic core	Aluminum wound	  	4.1	9.0	
VI03 1/8	d ¹ re ¹ III	Synthetic core	Silver wound	  	3.4	7.5	
VI04 1/8	g sol IV	Synthetic core	Silver wound	  	4.0	8.8	

Violin vibrating string length 22.2 cm | 8.7"

					MEDIUM		
NR				TAILPIECE END			PEG END
VI01 1/10	e ² mi ² I	Carbon steel	Aluminum wound	  	5.1	11.2	
VI02 1/10	a ¹ la ¹ II	Synthetic core	Aluminum wound	  	4.1	9.0	
VI03 1/10	d ¹ re ¹ III	Synthetic core	Silver wound	  	3.1	6.8	
VI04 1/10	g sol IV	Synthetic core	Silver wound	  	3.8	8.4	

Violin vibrating string length 21.5 cm | 8.5"

					MEDIUM		
NR				TAILPIECE END			PEG END
VI01 1/16	e ² mi ² I	Carbon steel	Aluminum wound	  	4.8	10.6	
VI02 1/16	a ¹ la ¹ II	Synthetic core	Aluminum wound	  	3.9	8.6	
VI03 1/16	d ¹ re ¹ III	Synthetic core	Silver wound	  	3.1	6.8	
VI04 1/16	g sol IV	Synthetic core	Silver wound	  	3.6	7.9	



VISION SOLO

標準 SET 参考税別価格 ¥ 9,100

Violin vibrating string length 32.5 cm | 12.8"

					MEDIUM		
NR				TAILPIECE END			PEG END
VIS01	e ² mi ² I	Carbon steel	Tin plated	  	8.1	17.9	
VIS02	a ¹ la ¹ II	Synthetic core	Aluminum wound	  	5.6	12.3	
VIS03	d ¹ re ¹ III	Synthetic core	Aluminum wound	  	4.6	10.1	
VIS03A	d ¹ re ¹ III	Synthetic core	Silver wound	  	4.9	10.8	
VIS04	g sol IV	Synthetic core	Silver wound	  	4.7	10.4	



VISION TITANIUM ORCHESTRA

標準 SET 参考税別価格 ¥ 10,400

TECHNICAL DETAILS

4/4

Violin vibrating string length 32.5 cm | 12.8"

					MEDIUM		
NR				TAILPIECE END			PEG END
VIT01Bo	e ² mi ² I	Stainless steel	Titanium wound		8.0	17.6	
VIT01o	e ² mi ² I	Stainless steel	Titanium-design		7.7	17.0	
VIT02o	a ¹ la ¹ II	Synthetic core	Hydranalium wound		5.5	12.1	
VIT03o	d ¹ re ¹ III	Synthetic core	Silver wound		4.5	9.9	
VIT04o	g sol IV	Synthetic core	Silver wound		4.6	10.1	



VISION TITANIUM SOLO

標準 SET 参考税別価格 ¥ 10,400

TECHNICAL DETAILS

4/4

Violin vibrating string length 32.5 cm | 12.8"

					MEDIUM		
NR				TAILPIECE END			PEG END
VIT01	e ² mi ² I	Stainless steel	Titanium-design		8.0	17.6	
VIT02	a ¹ la ¹ II	Synthetic core	Aluminum wound		5.5	12.1	
VIT03	d ¹ re ¹ III	Synthetic core	Silver wound		4.8	10.6	
VIT04	g sol IV	Synthetic core	Silver wound		4.7	10.4	



LAKATOS


標準 SET 参考税別価格 ¥ 9,000

TECHNICAL DETAILS

4/4

Violin vibrating string length 32.5 cm | 12.8"

					MEDIUM		
NR				TAILPIECE END			PEG END
RL01	e ² mi ² I	Stainless steel			8.3	18.3	
RL02	a ¹ la ¹ II	Carbon steel	Chrome wound		6.0	13.2	
RL03	d ¹ re ¹ III	Synthetic core	Aluminum wound		4.6	10.1	
RL04	g sol IV	Synthetic core	Silver wound		4.8	10.6	



SPIRIT

標準 SET 参考税別価格 ¥ 3,600

TECHNICAL DETAILS

4/4

3/4

1/2

1/4

Violin vibrating string length 32.5 cm | 12.8"

					MEDIUM		
NR				TAILPIECE END			PEG END
SP01	e ² mi ² I	Carbon steel	Tin plated		7.9	17.4	
SP02	a ¹ la ¹ II	Synthetic core	Aluminum wound		5.7	12.6	
SP03	d ¹ re ¹ III	Synthetic core	Aluminum wound		4.7	10.4	
SP04	g sol IV	Synthetic core	Silver wound		4.8	10.6	